RADIOLOGICAL SURVEY REPORT

for

EL VERDE RESEARCH STATION CENTER FOR ENERGY AND ENVIRONMENT RESEARCH

HEALTH AND SAFETY DIVISION

November, 1981 Revised May, 1983



CENTER FOR ENERGY AND ENVIRONMENT RESEARCH UNIVERSITY OF PUERTO RICO — U.S. DEPARTMENT OF ENERGY

RADIOLOGICAL SURVEY REPORT

for

EL VERDE RESEARCH STATION

CENTER FOR ENERGY AND ENVIRONMENT RESEARCH

HEALTH AND SAFETY DIVISION

November, 1981 Revised May, 1983

RADIOLOGICAL SURVEY REPORT

for

EL VERDE RESEARCH STATION

CENTER FOR ENERGY AND ENVIRONMENT RESEARCH
HEALTH AND SAFETY DIVISION

Prepared	by:	
) .		
)		
flore	6. Shary	
Ni	mia E. Kizakry	R

November, 1981 Date

Antonio Vega Cruz

Revised: May, 1983

TABLE OF CONTENTS

CODTT	0.45		•																								l'age
CERTIFI																											iii
ABSTRAC	т.	•	•	•	•		٠	•	٠	•	•	•			•	•								•		•	iv
INTRODUC	CTIC)N	٠	•		-	•	•		•	٠	1141	٠	•											•	140	1
HISTORI																											3
SUMMARY																											
																											8
RESUL TS																											10
1NSTRUME	ENTS	U:	SE;	D	٠	•	٠	•	•	•	•	•	•	٠	•	•	•	•	•	•					•		12
DECONTAM																											13
REFERENC																											
APPE NDIX																											16
APPENDIX	TH	•	٠		٠	٠	•	•	٠	•	•	•	٠	•	٠	•	1.4.	•	٠	٠	٠	٠	٠	•		•	
APPENDIX	ΊΙ		•	•	•	٠		•	•	٠	•	•		÷	•	•	•			•						•1	
APP ENDIX																											
PPENDIX																	200	2000	90 5 9	-	•	•	•	•			

LIST OF FIGURES

FJ GURES

- Map of Puerto Rico Showing the Location of Luquillo Forest and El Verde Jesearch Area.
- I-A. Approximate Boundary of the 150 Acres Under DGE Forest Service Agreement.
 - Schematic Map of El Verde Lesearch Area Showing the Cs-137 Radiation Center and Approximate Location of the 80m and 160m radif.
 - 3. Laboratory Area, El Verde Fesearch Station.
 - 4. Detail of Old Laboratory Building, Area A. Numbers Indicate Survey Points. See Appendix 1A for Results.
 - 5. Detail of Old Laboratory Building, Area B. Numbers Indicate Survey Points. See Appendix 1A for Results.
 - 6. Detail of Old Laboratory Building, Area C and Shops. Numbers Indicate Survey Points. Ser Appendix 1A for Results.
- 7. Approximate Location of the Six Areas where Radiotracers were used.
- 8. Radiation Levels, Expressed in uR/hr, in the Laboratory Area.
- Radiation Levels and Sampling Locations in Area 2.
 See Appendix 1 for Results of Samples Analyzed.
- Radiation Levels and Sampling Locations in Area 3.
 See Appendix 1 for Results of Samples Analyzed.
- Radiation Levels and Sampling Locations in Area 4.
 See Appendix 1 for Results of Samples Analyzed.
- Radiation Levels and Sampling Locations in Area 5.
 See Appendix 1 for Results of Samples Analyzed.
- 13. Radiation Levels and Sampling Locations in Area 7. See Appendix 1 for Results of Samples Analyzed.
- 14. Radiation Levels and Sampling Locations in Area 8. See Appendix 1 for Results of Samples Analyzed.
- 15. Radiation Levels After Decontamination of Area 8.
- 16. Radiation Levels, at the Present Time, in Area 4.

CERTIFICATION

It is hereby certified that the areas described in this report do not represent a radiation hazard to the public nor to any person working in El Verde Research Station. From a radiation standpoint these facilities could be safely used under the conditions stated in NRC License Number 52-1934-02 of March 9, 1982 as amended on October 13, 1982. (Appendix IV)

May 1483

Nimia E. Irizardy Head, Health and Safety Division

ABSTRACT

The Radiological Survey and the Decontamination, as indicated below, of El Verde Research Station has been completed.

Areas 8, 5 and 6 were found contaminated. All contamination was removed from areas 8 and 5. Figures 12, 14 and 15.

The contamination in area 4 (Figure 16) was identified as Cs-137 and was removed down to a radiation level of 200 uR/hr. Even though this radiation level does not constitutes a hazard for the public or personnel working in the area, access to it has been controlled by a lence and appropriate werning signs. On December 1981 an NRC License was requested for the use of Cs-137 and Tritium in the forest. The Nuclear Regulatory Commission granted to CEER-UPR license No. 52-1934-02 on March 1982.

The contaminated soil that was removed from areas 3, 5 and 4 was packed in DOT approved containers and was shipped to a low level waste disposal site in Oak Ridge, Tennessee on September 1982.

INTRODUCTION

The Puerto Rico Nuclear Center was developed during the early 1960's under the sponsorship of the Atomic Energy Commission with the main goal of developing a comprehensive program for research and training ir nuclear science and engineering and in the applications of nuclear energy in medicine, agriculture and industry.

As part of the projects developed in order to achieve this goal, the Terrestrial Ecology Division was started in 1963. In 1964 a memorandum of agreement was signed between the Atomic Energy Commission and the Forest Service, US Department of Agriculture, separating 156 acres in the Luquillo Experimental Forest, i.e., El Verde Rain Forest, for conducting detailed ecological studies. Figures 1 and 1-A.

The main study area is located on the "northwestern slope of the mountain" and the research station is built on the site of a former coffee plantation. Several study areas were developed just up the mountain and to the east across the Sonadora River. (9). Access to the area is controlled by means of a hog wire fence, 8 ft high. The presence of patrol dogs also aids in the security of the area.

From 1964 on, a large amount of research projects were made in El Verde. Vegetation was quantified and identified, pollen was analized, a detailed study of the climate was made, soil was studied and many other aspects of the Rain Forest were thoroughly studied. (11)

Radiotracers were used, beside other techniques, during the study of mineral cycling and forest metabolism.

In 1976 the goals and objectives of PRNC changed, PRNC became the Center for Energy and Environment Research and the AEC-ORO (then ERDA and now the Department of Energy) concurred on transferring CEER

facilities to the University of Puerto Rico and terminating the agreement with the Forest Service. CEER/UPR will continue to use this research area under a use permit from the Forest Service.

In the process, a radiological survey was planned and has been done during the last three years. The area under CEER's responsibility was thoroughly surveyed using portable survey meters. Instrumentation used for this survey is listed on page 12. During this walk-through survey, some soil plots were found fenced and marked with radiation safety signs. These areas or plots were surveyed in more detail and samples were taken and analyzed for gross beta, gamma and alpha contamination. Also spectrometric analysis was done to representative samples of each of this areas. Except for three of these plots, no other areas were found with contamination or radiation levels higher than background.

This Report summarizes the activities carried out during the radiological survey and documents the results.

HISTORICAL BACKCHUND

The Terrestrial Ecology Program was initiated on April 1963. A month later, the work at El Verde Rain Forest started with three major objectives as follows:

- To determine the effects of gamma irradiation from a 10,000 Ci Cesium-137, sealed source, on a plot of lower montane rain forest.
- 2. To measure the cycles of fallout elements in the rain forest system.
- 3. To determine the circuits of energy flow and metabolic processes of the ecosystem in order to understand the phenomena observed. (8).

During the first year of work at El Verde, all efforts were directed towards the study of the general conditions before gamma irradiation.

There is no record of mayor tracer studies during 1963 except in August when three trees were tagged by injecting 1 mCi of 32 P-phosphoric acid into each of the tree stems. (9)

On September 16, 1964 an agreement was reached and a memorandum of understanding between the Atomic Energy Commission and the Forest Service, United States Department of Agriculture was signed in order to separate 156 acres of the El Verde Rain Forest for conducting detailed ecological studies of the effects of gamma radiation, (Cs-137), upon tropical forests.

Figures 1 and 1-A show the location and detail of the area included in the Agreement.

A preliminary irradiation with a 6 Ci Co-60, sealed source, was carried out on August 1964 to help predict the attenuation of gamma radiation in the forest and to verify the hazards report for the $^{137}\mathrm{Cs}$ sealed source.

The 10,000 Ci cesium-137, scaled source, was installed on top of a small ridge in the Rain Forest on December 7, 1964. The area was exposed to gamma radiation for the period between January 19, 1965 to April 27, 1965. It was removed and shipped to USA during July 1966. This source had no record of leakage and therefore did not constitute a potential source of contamination to any area in the forest. (10).

It must be mentioned, though, that during the arrangements made for this irradiation project, El Verde site was fenced at radii of 80 m, 160 m and 500 m from the radiation center. These fences have been used as reference points during the radiological survey being reported at present. See Figure 2.

When the irradiation was completed and the immediate post-irradiation effects were under study, plans were developed for studying mineral cycling, cycles of fallout elements and metabolic processes. Among other methods, radioactive tracers were used in numerous experiments during this period of time.

In January 1966 tracer experiments involving the use of Strontium-85, Cesium-134 and Manganese-54 were initiated. These experiments were carried out throughout the whole year and ended in December 1966. "The objective of the experiment was to determine whether these nuclides could be transferred from litter to soil to roots of understory plants, and, if so, at what rates.

Four plots were established within a fenced enclosure on a gently sloping ridge top within El Verde contract area. These plots, which ranged from 1 to 1.5 m², were completely encircled with corrugated aluminum garden edging to a depth of 3 inches, and roots to this depth were cut to prevent export of nuclides to trees outside of the plots. Two of the plots were stripped of all litter and two were left intact prior to the application of nuclides. On January 6, 1966, approximately 1 mCi/m² of each, 134 Cs, 85 Sr and 54 Mn were applied to the plots, in the form of a spray from a hand-pumped garden sprayer. All plants within the plots, at this time, were covered with plastic bags and aluminum foiled to prevent contamination with spray." (3)(4)(10)

Purchase order records indicate that on May 1966, the Terrestrial Ecology Project bought 1 Curic of Tritium to be used in future experiments within the Rain Forest.

During February 1967, twenty microcuries of Tritium were diluted to l liter of water and the mixture was applied to the surface of a 0.94 $\rm m^2$ soil plot. (5).

Later, on August 3, 1967, three tree's trunks were tagged by spraying each with 1 mCi of carrier free ⁶⁵Zn solution. This study was designed to evaluate the utilization by the snail <u>Caracolus caracola</u>, of lower plants growing on the tree trunks. (5)

On August 10, 1967, 1 mCi of 85 Sr and 0.8 mCi of 134 Cs were diluted in 2,500 ml of water and evenly applied to a small plot of soil. (5)

Tritium was repeatedly used during 1968 and 1969. Five more experiments using this radiotracer were planned and carried out.

One of the experiments consisted on injecting three trees with different amount of ${}^3\mathrm{H}$ as follows:

- 1. Large <u>Dacryodes excelsa</u> 20 mCi
- 2. Sloanea berteriana 6 mCi
- 3. Small Dacryodes excelsa 1 mCi

Another experiment, done during May 1968, consisted on evenly applying four liters of water containing 50 mCi on Tritium to a 3.7 $\rm m^2$ soil plot.

Two more experiments involving the use of Tritium were reported in June 1969, but there is no record of the amounts of the isotope used. (1)

Experiments using Cesium-137, Strontium-85 and Manganese-54 continued. In September 18, 1968 a tree of the species <u>Matayba dominguensis</u> was injected with 0.46 mCi of 137 Cs and a <u>Dacryodes excelsa</u> was injected with 0.19 mCi of 85 Sr, 0.34 mCi of 54 Mn and 17.69 mCi of 86 Rb. (1).

Also during 1968 another experiment using tritiated water was reported but the amounts of the radioisotope are not mentioned.

The next reference to the use of radioisotopes was reported in June 1970. In this report, 32 P. 75 Se, 65 Zn and 59 Fe are mentioned as the radioisotopes used to study nutrient pathways and depth of nutrient uptake. This experiment apparently was carried out in plastic trays in the laboratory. (11).

Another reference to the tagging of trees using 32 P does not specify the date of the experiment but it is mentioned that 1 mCi of the isotope was used for injecting two trees of species Sloanea berteriana and Dacryodes excelsa. Reference to this study is made in "A Tropical

Rain Forest". (10) Since this book was published in 1970, it is assumed that this $^{32}{\rm P}$ experiment was performed in 1969 or before.

After 1970, the Terrestrial Ecology Division reported only one event involving the use of radicisotopes, i.e., the tagging of a Giant Tree Fern, Cyathea arborea. The tree was tagged during June 1973 with unknown amounts of 32 P.

Based on these data, Table 1 has been prepared. It is a summary of the radioisotopes used, amounts used and date and location of the experiment.

ISOTOPE (S)	DATE AND AREA APPLIED	ORIGINAL ACTIVITY	HALF LIVES PASSED	
3 _H	Jan. 6 1967; Area 2 (Fig.9)	20mCi	1.30	
³ H; 32 _P	May 1968 Area 3 (Fig.10)	50 mCi	1.22	
	1969 "	1 mCi	357.07	
32 _p	1972 "	46 mCi	280.57	
137 86 Cs 85 Rb 85 Sr 54 Mn	Sept.18,1968 Area 4 (Fig.11)	0.46 mCi 17.69 mCi 0.19 mCi 0.34 mCi	0.5 293.41 84.62 17.49	
⁸⁵ Sr 134Cs	Aug.10, 1967 Area 5 (Fig.12)	1 mCi 0.8 mCi	90.26 7.77	
65 Zn	Aug. 3, 1967 Area 7 (Fig.13)	3 mCi	16.99	
134 85 54 Mn	Jan. 6, 1966 Area 8 (Fig.14)	l mCi l mCi l mC	8.25 95.90 19.92	

Table 1 - Summary of radioisotope usage in El Verde Rain Forest

It must be mentioned that, associated with the field activities, there is a laboratory building that was constructed in 1965.

Another laboratory, adjacent to the first one, was constructed in 1976. There is no record of radioisotope usage in the new laboratory.

On the other hand, it is assumed that some sample preparation involving the use of radiotracers was performed in the old laboratory. Figure 3 shows the laboratory area.

SUMMARY OF THE RADIOLOGICAL SURVEY

A Radiological Survey was planned and performed in order to determine the status of El Verde facilities and research areas from radioactive contamination standpoint. The survey included a survey of the radiation levels and removable contamination in the old laboratory building and a walk-through survey of the forest. Also, soil and vegetation samples were collected and analyzed.

1. Survey in the Laboratory Building:

The radiation levels within the laboratory were measured using portable Geiger Muller and Scintillation survey meters. The benches, tables, drawers, instruments, floors, walls, materials and other surfaces were scanned on contact and at 1 meter high.

Since the laboratory building is included in NRC License No. 52-1934-02, and at the time of the survey there were plans for the use of radioisotopes such as Tritium, no efforts were made to survey the drains, hoods exhaust system, sink traps, etc.

The survey for removable contamination was done using the standard smear technique. Figures 4, 5 and 6 show the areas where the smears were taken.

2. Survey of the Forest

A walk-through survey was done in the forest, starting from the laboratory area through the trails up to the radiation center where the Cs-137 source was installed on 1964. The survey was extended to three, six and twelve meters from the trails. The area within the 160 m radius was surveyed in a grid of approximately one meter.

This part of the survey was performed at ground level, and I meter high, using earphones in order to more precisely detect variation in radiation levels in spite of the inequality of the ground.

During the walk-through survey, six areas were found fenced with chicken wire screens and marked with radiation safety signs. These areas were marked as follows: areas 2, 3, 4, 5, 7 and 8, based on numbers already existing within the fenced plots. For the purpose of this report, these areas will be called hereinafter, area ____ as numbered. Figure 7 shows the approximate location of these areas. Each area was thoroughly surveyed, and a detailed map of the radiation levels was done. Also, soil and vegetation samples were collected in the areas.

In order to have a complete idea of the status of the surrounding grounds, soil samples were also collected outside of the fenced areas, beyond the radiation safety signs. All soil samples were collected from surface 6 inches and from next 6 inches deep in the ground.

Soil and vegetation samples, representative of each area were analyzed for radionuclide content in a Germanium Lithium drifted detector. Also, other portions were oven dried, grinded and an alliquot of 200 mg was counted in a Gas Flow Proportional Counter, for gross

alpha and beta-gamma contamination. Microcuries per gram were calculated using the following formula;

uCi/g=
$$\frac{\text{net cpm}}{\text{A (F) 2.22 x 10}^6}$$
 where A= amount of sample analyzed (g)

RESULTS OF THE RADIOLOGICAL SUPVEY BEFORE DECONTAMINATION

The initial Radiological Survey for El Verde Research Areas was carried out during different intervals of time in FY 1978 through FY 1981.

The background radiation level varies from 2 uR/hr to 6 uR/hr in the laboratory area and in the forest. Figure 8 shows the detailed radiation levels in the laboratory area.

Each one of the areas was surveyed in detail. Figures 9, 10, 11, 12, 13, and 14 show the radiation levels and location of the samples taken inside and beyond the fence of each area. Samples taken beyond the fence are identified as control samples.

Based on the description and clues found in each area, spectrometric analysis of some samples and the descriptions found in the literature searched, the isotopes used in each sampling zone were identified as follows:

Appendix l is a summary of the results of the samples analyzed for gross beta-gamma and gross alpha contamination.

Appendix 2 is a summary of the samples analyzed in the \mbox{GeLi} spectrometer.

Three of the areas were found with radiation levels higher than background: Areas 4, 5 and 8. See Figures 11, 12 and 14.

No contamination was found in the laboratory building.

Appendix lA shows the results of all the smears taken in this building. No samples were taken in the new laboratory constructed in 1976.

Sc 1 samples from an area where no radioisotopes have been used, were taken and analyzed in order to establish a background level for comparison purpose. The results of these soil samples are included in Appendix 3.

INSTRUMENTS USED

- Ludlum Measurements, Inc.
 Model 3, Pancake GM 1.5 mg/cc window
 Sweetwater, Texas
- Scintillation Gamma Ratemeter Type 1597A
 Reactor Control Division
 Eliot Process Automation Limited
 Lewisham, London, S.E. 13
- 3. Nuclear Measurements Corporation
 Gas Flow Preportional Counter
 Model PCC-IIT-DS-IT Combination
 50% Eff. Ave. efficiency for gamma energies from 0.500 Mev to 1.3
 Mev.
 NMC Indianapolis, Indiana
- 4. Nuclear Data 4410 Spectrometer with a GeLi Detector

 Nuclear Data Inc.
- 5. Liquid Scintillation Counter

 Beckman Model LS 3133T

 Beckman Inc., California

 30% Eff. for Tritium

DECONTAMINATION, PRESENT STATUS AND CONCLUSIONS

Decontamination efforts were concentrated to two of the areas: 4 and 8. The contaminated soil in area 5 was readily removed.

The contaminated soil was removed until an aluminum tray was found about 30 cm deep in area 8. Beyond this level no contamination was found. About 1,000 lb (453 kg) of soil were removed, placed in plastic bags and transported to CEER Mayaguez for proper disposal.

At the present time the radiation levels in area 8 vary from 2 uR/hr to 10 uR/hr. See figure 15 for a diagram of the radiation levels.

Two trees were found contaminated in area 4. The resin of the tree, as well as some pieces of cortex, were analyzed in the spectrometer and \$^{137}Cs was found as the contaminant. No attempt was made to quantify the remaining isotope. Soil contaminated with cesium underneath the tree, was removed. Even though about 100 1b (43 kg) of soil were removed, the radiation level under the tree is still higher than background, i.e. about 200 uR/hr. Figure 16 shows the present status of this area.

The contaminated tree remains in place and the Forest service concurred with CEER that El Verde Research area should be licensed for the use of radiotracers. A license application was submitted to the Nuclear Regulatory Commission and License No. 52-1934-02 was granted on March 9, 1982.

Area 4 will remain fenced and with radiation safety signs. All other radiation safety signs have been removed.

Of the radioisotopes used in El Verde, (Table 1), tritium is the one of more concern because it could be incorporated into the human body following ingestion of HTO, by passing through skin or inhalation either

as liquid or in a gaseous form. However, this concern is lessened in view of the relatively short biological half-lifes **which are involved. For example, NCRP Report No. 62 indicates that: "It seems reasonable to conclude that one pool of tritium in exposed individuals is in the form of free body water. It has a (biological) half-life between 6 and 18 days." (6)

We conclude on the basis of the observations (Jordan 1970) that any tritium used in the area has been dissipated in the atmosphere as water vapor.

Jordan estimated the half residence time $(t^{\frac{1}{2}})^*$ for tritium in the soil, in the vegetation and in the air in a tropical ecosystem such as El Verde. (2)

According to Jordan, tritium moves into the air through evaporation of the water in the litter, in such a way that, the half-residence time of the $^3\mathrm{H}$ in the soil and litter, necessarily controls concentration in the water vapor above the spiked soil. The results in his experiments indicated that: "29 days probably is a good estimate for the $t\frac{1}{2}$ of tritium in the soil as a whole." (2)

He found that for trees growing in soil spiked with tritium, the $t\frac{1}{2}$ is between 41 and 55 days. For those trees (<u>Dacryodes excelsa</u>) where the isotope was injected, the $t\frac{1}{2}$ of tritium was 6.6 days (2)

If one Curie (1 Ci) of tritium bought on 1966 was used during 1969 and experienced a half-residence time of 55 days, the amount remaining in 1983 would be 1.95×10^{-27} Ci.

^{*} Half residence time = is the length of time that it takes for half the activity in a compartment to be removed.

^{**} Biological half-life = is the time required for the body to eliminate by regular process of elimination one half of a dose received of any substance

Based on the above observations, then we conclude, that biological cycling and the movement of tritium in a tropical ecosystem as El Verde is such that all tritium used in the research area has been dispersed to the atmosphere in very low levels not dangerous to either the public or to persons working in the area.

REFERENCES

- Jordan, Carl F. and Drewry, George E. The Rain Forest Project Annual Report. Puerto Rico Nuclear Center, PRNC-129, (June 1969) 57.
- 2. Jordan, C. F., Koranda, J. J., Kline, J. R. and Martin, J. R. (1970). "Tritium movement in a tropical ecosystem," Bioscience 20, 807.
- Kline, Jerry R. Terrestrial Ecology Program I The Rain Forest Project. Puerto Rico Nuclear Center Annual Report 1966. PRNC-102, (Sept. 1967) 146.
- 4. Kline, Jerry R. and Staff. The Rain Forest Project Annual Report FY 1967. Puerto Rico Nuclear Center, PRNC-103, 22, 23.
- 5. Klinc, Jerry R., Jordan, Carl F. and Drewry, George E. The Rain Forest Project Annual Report. Puerto Rico Nuclear Center, PRNC-119, (June 1968), 100, 120, 144.
- 6. NCRP (1979) National Council on Radiation Protection and Measurements, Tritium in the Environment, NCRP Report No. 62 (National Council on Radiation Protection and Measurements, Washington).
- 7. Puerto Rico Nuclear Center, Annual Report 1967, PRNC-121, 170, 173.
- 8. Odum, Howard T. The Rain Forest Project Annual Report FY-1965.
 Puerto Rico Nuclear Center, PRNC-61 (March 1, 1965) 3, 4.
- 9. Odum, Howard T. A Tropical Rain Forest, A Study of Irradiation and Ecology at El Verde, Puerto Rico, Washington DC.
- 10. Odum, Howard T. The Rain Forest Project. Puerto Rico Nuclear Center, PRNC-34 (April 1, 1964) 34.
- 11. Odum, Howard T. A Tropical Rain Forest, A Study of Irradiation and Ecology at El Verde, Puerto Rico. Washington DC: Division of Technical Information, 1970.
- 12. Stark, Nellie. The Rain Forest Project Annual Report. Puerto Rico Nuclear Center, PRNC-147 (June 1970) 130-140.

APPENDIX 1.

ENVIRONMENTAL SAMPLES SUMMARY REPORT

Fate May-June - Nov '78 Instrument used PCC-IIT Background B y 60 dpm ± 10 Background a odpm Sample Vol. or Wt. 200 mg Type of sample Soil							
SAMPLE NO. Net*	Net μCi/g α	SAMPLE NO.	Het uCi/g B y	Net μCi/g α			
C-2-14 1.35 410-5	D ##	2-34	90×10-6	0			
C-Z-1B 405×10-5	٥	2-38	U.5 y10-6	0			
C-2-24 2 25×10	6	2-Lys A	4.51155	0			
C-5-5R H 02 X10-	0	2-645B	44.5×10-6	a			
6-2-3A 24.3410-6	0	2-14	<4.5×10-6	٥			
C-5-3B H.2NO-C	0	2-18	<4.5 ×10-6				
C-2-44 1.35 × 10-5	_ 0						
C-2-48 24.5 X10-6	0		1.				
C-2-EA H.05 X10-5	0						
C-2-5B 2.25 ×10-5	0						
C-2-6 A 4.50 X10-6	6			_			
C-2-613 LUS DX10-6	0						
C-2-7A L4.5 ×10-6	0	,03000					
C-2-78 < 4.50 ×10-6	. 0						
C-2-8A 7.21 ×10-5	0	00 0000 0000					
C-2-8B 4.05 ×10-5	0						
C-2-9A 4.00 X10-6	o						
C-2-9B < 4.50 +10-6	٥						

Key: * Net Results = μ Ci/g sample - μ Ci/g background Error range \pm 2.3 X $10^{-5}\mu$ Ci/g

V= vegetation C= control

**Zero (0) indicates activity bellow detection limits of the Gas Flow Proportional Counter.

ENVIRONMENTAL SAMPLES SUMMARY REPORT

Date April	1 178 Ramón Pérez		Backgi	Instrument used DS-IT Background By 60 dpm 1/0					
	ne Aven #3		Sample	Sample Vol. or Wt. 2001 Type of sample Soil					
SAMPLE NO.	Net [±] μCi/g βγ	Net μCi/g α		Net μCi/g β γ	Net μCi/g α				
3-C-A	44.50 ×10-6	o **	·						
3-6-13		0							
3-0-6	, (0							
3-14	11	0							
3-13	μ	0							
3-16	**	O							
3 -2A	U	0							
3-28	11	0							
3-20	2.70×10-5	0							
		_			-				
			193						
			W 10 000 W	2000					
			÷						

Key: * Net Results = μ Ci/g sample - μ Ci/g background Error range \pm 2.3 X $10^{-5}\mu$ Ci/g

V= vegetation C= control

**Zero (0) indicates activity bellow detection limits of the Gas Flow Proportional Counter.

ENVIRONMENTAL SAMPLES SUMMARY REPORT

Date Jup - Jul '78 Technician Ramon Perez

Instrument used D5-17

Background B Y 60 d pm ±1
Background a 0 d pm
Sample Vol. or Wt. 200 mg
Type of sample Soil

Sampling zone Area #3

	THE CALL		Type C	n sambie 2	01
SAMPLE NO.	Net* uCi/g B Y	Net μCi/g α	SAMPLE NO.	Net μCi/g β γ	Net μCi/g α
C-3-1A	3 15 × 10-5	0 **	3-1A	7.21×10-5	
C-3-1B	1.35 ×10-5	0	3-18	3.15 4/0-5	
C-3-24	9.0 ×10-6	0	3-2A	2.70410-5	
C-3-2B	4.5 × 10-6	b	3-213	3.60115	
C-3-3A	5,25 410-2	0	3-34	9.00×10-6	0
C-3-3B	9.0 710-6	0	3-3B	9.00×10-6	O
C-3-4A	1.35×10-5	0	3-44	2.7415-5	٥
6-3-48	1.80 ×10-5	<u> </u>	3-48	9.0×10-6	0
C-3-5A	1.35 110-5	6	3-5A	<4.50×10-6	U
C-3-58	1.80×10-5	0	3-56	< 4.50 Y10 6	D
C-3-6A	4.50×10-6	d	3-5A L45 S.		- 0
C-3-68	9.0 ×10-6	0	3-5 Alys S.	3.15 410-5	0
C-3-7A	9.0 ×10-6	0	3-6A	2.25 110-5	0
6-3-78	4.50×10-6	0	3-63	1.35410_2	٥
C-3-8A	4.05 X10-5	0	3-7 A	2.70415	0
C-3-8B	1.35 ×10-5	0	3-18	4.95×10-5	D
(-3-9A	2.70 410-5	0	883		2000
C-3-9B	1.35 x10-5	٥			\$ 50°

* Net Results = μ Ci/g sample - μ Ci/g background Error range \pm 2.3 X $10^{-5}\mu$ Ci/g Key:

V= vegetation C= control

S= soil A= soil surface 6 in. B= soil sub-surface 6 in.

**Zero (0) indicates activity bellow detection limits of the Gas Flow Proportional Counter.

ENVIRONMENTAL SAMPLES SUMMARY REPORT

Date <u>Dov</u> .			Instru	ment used Re	c-11T, DS-17
Technician .	Bamon Porez		Backgr	round β y 60 c	dom ±10
			раскат	round α o	dom
Sampling zor	ne Drec # 4		Type c	of sample <u>S</u>	200 77
SAMPLE NO.	Net [±] μCi/g βγ	Net μCi/g α	SAMPLE NO.	Net uCi/g B Y	Net μCi/g α
4-1A	2.70410-5	0 ***			
U-113	H.50 × 10-6	U			
45-11	1.804,05	o			
4-28	5.52 A102	0			
4 C _ U	1.35 115	0			
H-35	44.50×10-6	0			
U-44	4.95 × 10-5	ō			
प-पड	1.35 ×10-5	٥		·	
U-5A	Z.25 ×10-5	0			
u-5B	1.80 × 10-5	0			

Key: * Net Results = μ Ci/g sample - μ Ci/g background Error range \pm 2.3 X 10⁻⁵ μ Ci/g V= vegetation C= control

ENVIRONMENTAL SAMPLES SUMMARY REPORT

Date No.9. '78 Technician Ramon Perez

Instrument used DS-IT Background & Y Go dom
Background a o dom
Sample Vol. or Wt. 200

Sampling zone Area # 4

Type of sample Soil

1	777		1/po 0. 30mp/c0[]					
SAMPLE NO.	Net [†] μCi/g βγ	Net μCi/g α	SAMPLE NO.	Net μCi/g B γ	Net µCi/g a			
C-4-0A	<4.50×10-6	ە**	C-4-12A	1.35 × 10-5	0			
C-4-013) 4	0	851-4-1	4.50×106				
C-4- A		b	C-4-13A	4.50410-6	0			
C-4-1B	7120X10-P	0	C-4-1313	64.50410-L	6			
C 7-57	م - ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲	0	C-4-14A	9.0 \$10-6	0			
0.4-23	11.50 ×10-6	o	C-4-1013	24.54156	0			
C-4-3A	U.5 Y10-6	٥	C-4-15A	п	0			
C-4-3B	9.00 ×10-6	٥	C-4-15B	ft	0			
C-4-4A	1.35410-5	0	C-4-16A	4.05 410-5	0			
C.4-4B	9.00 × 10-6	0	C-4-16B	<4.5 × 10 6	٥			
2-4-5A	1,35 ×10-5	٥	C-4 - 17A	H	- 0			
J-4-7B	1.80×10-5	0	C-4 -17B	9.00 × 10 -6	0			
C-4-6A	44.50×10-6	D	C-4-18A	3.6 × 10-5	٥			
C-4-6B	1.35 x10-5	o	C-4-18B	H.20x 10.P	0			
C-4-10A	1.80410-5	0	C-4-19A	44.30×106	0			
C-4-10B	1.35 X10-3	0	C-4-19B	4.50410-5	0			
C-4-11A	1.80×10-5	0	C-4-20A	44.50×10-6	٥			
C-4-11B	24.50×10-6	0	C-4-20B	n	٥			

Key: * Net Results = μ Ci/g sample - μ Ci/g background Error range \pm 2.3 \times 10⁻⁵ μ Ci/g

V= vegetation

C= control

S= soil

A= soil surface 6 in.

B= soil sub-surface 6 in.

**Zero (0) indicates activity bellow detection limits of the Gas Flow Proportional Counter.

ENVIRONMENTAL SAMPLES SUMMARY REPORT

Date Sopt. 1978

Technician Bama'n Perez

Sampling zone Area # 5

Background & Y Go dom 110

Background & O dom

Sample Vol. or Wt. 200 mg

Type of sample Soil & Veg.

SAMPLE NO.	Net [#] μCi/g βγ	Net μCi/g α	SAMPLE NO.	Net μCI/g β γ	Net ' μCi/g α
C-5-1A	1.80 ×10-5	o **	5-34	4.50 1105	0
E-5-113	3-15+10-5	0	5-3B	2.70 410	O
C-5-2A	1.35 x/0.5	0	5-4A	4.05 410	U
C-5-28	4.95 y10-5	0	5-48	11	0
C-5-3A	9.00 410-6	0	Veg A	9.00×10-6	0
C-5- 3B	4.05 × 10-5	O	Voy E	4.50410-6	O
C-5- 4A	4.50 ×10-5	0			
C-5-4B	2.25 410-5	٥		1.	
C-5- 5A	4.50 410-5	0			
C-5-58	2.75 410-5	0			
C-5- 6A	Z.25 Y10-5	0			-3
C-5- 6B	3.15×10-5	0			
C-5-7A	4.95 × 10-5	0			
C-5-7B	6.30 ×10-5	0			
5-10	4.05 410-5	0			,
5-18	3.15 ×10-5	0			
5 - ZA	5.52×10_2	0			100000
5.2B	3.60×15-5	o			

Key: * Net Results = μ Ci/g sample - μ Ci/g background Error range \pm 2.3 X $10^{-5}\mu$ Ci/g

V= vegetation

C= control

S= soil

A= soil surface 6 in.

B= soil sub-surface 6 in.

**Zero (0) indicates activity bellow detection limits of the Gas Flow Proportional Counter.

ENVIRONMENTAL SAMPLES SUMMARY REPORT

Technician Ramon Perez

Sampling zone Area #7

Net*

Instrument used Pcc - 11T

Background B y 52 dpm ±10

Background a 1 dpm

Sample Vol. or Wt. 200 mg

Type of sample Soll

Net*

			100000	·	
SAMPLE NO.	Net* μCi/g βγ	Net μCi/g α	SAMPLE NO.	Net μCi/g β γ	Net μCi/g α
C-7-1A	2.25 115-5	0**	7-14	4.50 y 10-6	0
C-7-1B	11	O	7-18	4.0 4 10-6	
C 7- ZA	2.70×10-3	ð	7-2A	4.50 1.10	5
C-7- 2B	9.00 × 10-6	0	7-2B	1.35 x 10 5	0
C-9- 3A	11	၁	7- 3A	1.80×105	0
(-7- 3B	1.80 x 10-5	0	7-38	4,507/06	0
C-7- 4A	2.70 410-5	٥	7- 4A	2.70×10-5	0
C-7- 4B	1.80×10-2	٥	7-4B	9.0 × 10-6	Ó
C-7- 5A	2.25410-5	0	7-54	2.25 410-5	0
6-7-513	2.70×10-5	0	7-58	3.15 × 16-5	0
C-7-6A	9.00 ×106	0	7- 6A	2.25 x 155	0
C-7-6B	11	0	7-68	1.35 ×105	0
C-7-7A	< 4.50 × 10-6	0			
C-7-7B	11	0			
C-7-8A	2.70×10-5	0			
C-7-8B	1.8×10-5	0	_		
C-7-9H	24.50×10-6	0			
C-7-9B	4.504106	٥			

Key: * Net Results = μ Ci/g sample - μ Ci/g background Error range \pm 2.3 X $10^{-5}\mu$ Ci/g

**Zero (0) indicates activity bellow detection limits of the Gas Flow Proportional
Counter.

ENVIRONMENTAL SAMPLES SUMMARY REPORT

Date November 1978 Technician Bernon Perez

Instrument used Pcc - IIT
Background B y 50 dpm ±10 Background a odpm Sample Vol. or Wt. 200 mg Type of sample Soil

Sampling zone Acco # 8

	1.7.4.7.		1011		811
SAMPLE NO.	1	Net μCi/g α	SAMPLE NO.	Net μCi/g β γ	Net µCi/g a
C-8-1A	2.70410-5	2** 2	8-con.A	44.50 y/36	0
C-8-18	3.15 4155	0	8. cont. 13	••	O
C-8-2A	1.35 × 10-5	ာ	8-1A	5.85 ×10-5	0
C-8-ZP	3.12410-2	0	8-113	44.50×106	٥
C-8-3A	180×10-5	ь	7-7A	900 × 155	٥
C-8-38	9.00 £ 10-6	0	8-78	6.30410-5	
C-8-4A	2.70×10-5	0			
C-8- HE	2.25 410-5	O		·	
C-8-5A	24.50 × 10-6	0			Alaca A
C-8-58	4.95 ×10-5	0			
C-8-6A	24.50 X10-6	o			-
C-8-68	2.70 × 10-5	0			
8.3A	4.95 ×10-5	0			
8-38	9.00×10-6	0			
2-4A	2.70 ×10-5	0			
8-HB	U.	o			
8-5A	1.80 × 10-5	0			
8-5B	64.50×10-6	0			

* Net Results = μ Ci/g sample - μ Ci/g background Error range \pm 2.3 X $10^{-5}\mu$ Ci/g Key:

V= vegetation C= control

Counter.

S= soil A= soil surface 6 in. B= soil sub-surface 6 in. **Zero (0) indicates activity bellow detection limits of the Gas Flow Proportional

1-8

APPENDIX 1A

HEALTH PHYSICS ASSAY REPORT

Counted by Sanches Date counted 31 April 1978	Taken by City on a laca	Vare.	Bidg. Eliteraly Room Las I-II
	Send copy of report to:	of results. [] Notified.	Notify on ext.
Background 30 c/m Geome	sackground c/m weome		To be counted for

Background	Background	AL PHA	To be counted for
BETA-GAMMA #10 PS-17 Background 30 c/m Geometry えん	l		for

Sample Number	Beta- Gamma	Alpha		Sample Number	Beta- Gamma	Alpha	Identification of Samples:
10.	0 **			15	0		Area A - Lab J-I El Verde
2	0			16	0		
3	0			7.1	٠		1
4	C		3000-100-1	31	C		1A-
()	0			19	0		
55	Ĉ			50	٠		
7	0			12	C		
8	C			22	<u>ي</u>		
9	0		<u> </u>	23	0		
10	0			24	C		
//	0			25	c		
12	C			26	0		
برن	7			8	<u></u>	,	
14	\circ			1) ~	رت (ت		

Remarks:

** Zero (0) indicates counts bellow detection limits
 of Proportional Counter

HEALTH PHYSICS ASSAY REPORT

	, , , ,	,					Remarks:
	į	Ş	4.5			7	ナン
) 	~			ì	Ť
		0	54			0	40
		0	53			0	39
		0	52			0	38
		0	51			0	37
		C	5-0			Ċ	36
		0	6.4			0	35
		5	34		7	5	7.5
		0	47			0	C 1
		0	34			0	32
		0	ナン			C	3/
Area A-Lab I-I		0	44			0	30
El Verde		0	43			0 **	20
Identification of Samples:	Alpha	Beta- Gamma	Sample Number		Alpha	Beta- Gamma	Sample Number
3010	the	limits of	S bellow detection		April 1978 ates counts b	3/ A indical	Counted by Squice Date counted 3/ ** Zero (0) indic
ׄ ים ב	1	Lebort	of results. [] Not Send copy of report to:		Dyn	and it is	Date by C
t. To be counted for	on ext		Notify	7	T-T	FI Land Room Las I-II	1/2.09.18

HEALTH PHYSICS ASSAY REPORT

Remarks:			20	67	66	53	49	63	ن ک	61	60	5-9	58	27	Sample Number	Bldg. EL Very Room Las III Date History To Taken by Crist Court 1232 Counted by Jane 1123 Date counted 31 April 197 Date counted 31 April 197
			0	0	C	Ö	0	O	6	0	C	0	٥	O #	Beta- Gamma	Program La Program La Cristo Control C
			Contract Contract												Alpha	con kes I-II in these cates counts by
																
															Sample Number	of results. Send copy of bellow detection 1
		į									1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Beta- Gamma	report remits o
	***	1 1													Alpha	the cotif
											1A-:	Area A-Lab I-I	() () () () () () () () () () () () () (E) /ordo	identification of Samples:	To be counted for ALPHA Background c/m Geometry Code Background 3 O t/o C/m Geometry 2 77 Proportional Counter

Remarks:	1.7	Ö	12	11	10	9	∞	7		c	ナ	⁽ ۵	2	,	Sample Number	Bidg. El Vanta Room Date Taken by A. Veyge Counted by / Elicia Date counted April Mark Zero (0) indicates
	Ö	C	0	0	0	0	0	0		0	O	\sim	0	0 **	Beta- Gamma	Room Legues Legues Indicates
												de de ajempjeme de garajan			Alpha	8 m 2 +
			•	1												λ α Π Π Π
								21	2.0	19	31	17	\mathcal{H}	15	Sample Number	Notify of results Send copy of report bellow detection limits of
								O	7	c	0	C	0	0	Beta- Gamma	· · · · · · · · · · · · · · · · · · ·
										alone.			The American		Alpha	the
											1A-			El Verde Laboratory	Identification of Samples:	To be counted for ALPHA Background c/m Geometry Code X BETA-GAMMA DS-Z Background 29 to c/m Geometry 27 Proportional Counter

															10	
Remarks:	535 (q	1. T	33	32	3)	30	5.0	22	; <u>)</u>	Z	25	24	23	22	Sample Number	Bidg. El Parde Room Date Taken by A. Vera Counted by Fe Date counted April Date 7 Zero (0) indicates
		, °	0	0	0	0	O	O		0	0	0	0	0 #	Beta- Gamma	A. Verat A. Verat Feb.
															Alpha	3/99 counts
																be 110 □ □
								42	14	40	6.5.	36	37	36	Sample Number	Notify of results Send copy of report bellow detection limits o
								O	0	0	C	0	0	0	Beta-	[] report t
		! : :													Alpha	on ext. Notified. rt to: Code of the Proportional
											1A-	Arda O	,	El Verde Laboratory	Identification of Samples:	To be counted for ALPHA Background c/m Geometry BETA-GAMMA TO STA BETA-GAMMA TO STA BETA-GAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMMA TO STA BETA-CAMMA BETA-CAMM

Remarks:	5-6	37 3	54 0	53 0	52 0	5/ 0	50 0	0 64	3 3 4	0	0 94	0 54	0 114	13 On	Beta- Alpha Gamma	Bldg. El Verd. Room Date Counted by A. Verd. Cinter Counted by Felician Date counted April 3.1978 Zero (0) Indicates counts bello
	72	00 100	83	67	66	65	43	63	62	61	00	5-7	00 21	\$7	Sample Number	of results. Not Not Send copy of report to:
		· }	0	C	0	0	0	C	3	0	Ĵ	0	0	0		[] Note that the limits of
	To the second														Alpha	on ext Notified. to: Code
											1 A -6	エアカのトロ		El Verde Laboratory	Identification of Samples:	On ext. To be counted for C/m Geometry DS-2 Code X BETA-GAMIA 7 1 c/m Geometry 7.77 The Proportional Counter

Remarks:	43	383 34	82	81	8C	79	78	77	76	/ 3	74	73	72	71	Sample Number	Bidg. Eleg. J. Room Date Taken by A. Weg. Counted by Felic Date counted Appli
	்	Ċ	0	O	O	0	0	6	7	Ü	0	C	0	J**	Beta- Gamma	KROOM Ker Apr
									The same of the sa			And the second s			Alpha	A Cintron 1900 131978 tes counts b
								1.5	di	89	90 30	227	98	85	Sample Number	Notify of results. Not Send copy of report to: bellow detection limits of the
								े	3	0	0	7	0	C	Beta- Gamma	report 1
													Sec. 42		Alpha	on ext. [] Notified. report to: Code limits of the Proportional
												Area B	•	El Verde Laboratory	Identification of Samples:	It. To be counted for ALPHA Background c/m Geometry BETA-GAMMA D5-2 Beckground 29 t/c/m Geometry Ortional Counter

	 		 					15-3006-30	<u> </u>	010 00000				
Remarks:				7.4	}.	54	44	3 A	2 A	1.4	Sample Number	Date counted ** Zero (0)	Counted by	Bidg. E/V. deRoom
				0	0	Ö	0	0	0	O**	Beta- Gamma	indi		W. Agroom_
											Alpha	DEC/O/81 cates counts	6	The second of th
į	 	,											<u></u>	
											Sample Number	bellow detection limits of	our cold or choice co.	Notifyof results.
											Beta- Gamma		entransia spaniera anti-	
,											Alpha	the Propo	Code	on ext
							1 A -		•	El Verde Laboratory Area B	identification of Samples:	the Proportional Counter	Background 30±0 05-2	To be counted for ALPHA Background c/m Geometry

Remarks:						·									¥ 5	Bidg. E Date Taken Counte Date o
rks:	14	13	12	1	10	9	œ	7	6	5	4	3	8	,	Sample Number	Bldg. El Verdy Date L L Taken by S Counted by S Date counted
	c	C	0	0	0	0	0	0		0	0	c	0	O**	Beta- Gamma	Room Go no
									44 P. C. 44						Alpha	Area C-D 178 183 183 183 193 1938 es counts
	28	27	26	25	24	23	22	2/	20	19	18	17	16	15	Sample Number	Of results. [] Notify of results. [] Notify Send copy of report to: bellow defection limits of the
	2	0	3	O	0	0	O	0	0	0	9	0	0	O	Beta- Gamma	[]n f report t
								j		9					Alpha	on ext
											1A-	Area C and Shops		El Verde Lab Bling.	Identification of Samples:	on ext. To be counted for ALPHA Background c/m Geometry Code Code Background 30½c/m Geometry 27 The Proportional Counter

Remarks:	42 0 56	41 0 55	40 0 24	39 0 53	38 0 88	37 0 51	36 C 50	35 0 49	34 6	33 0 47	32 0 46	31 0 +5	30 0 44	29 0 ** 43	Sample Beta- Alpha Sample Number Gamma Alpha Number	Bldg. E. / Room Area (27) Notify Date of results Taken by Sounding Genery Counted by Felicianv Date counted April 3,1978 Pare Zero (0) indicates counts bellow detection
,	0	C	0	0	0	0	0	0	0	0	0	C	0	0	e Beta- Alpha	of report t
											1A-1	Area C and Shops		El Verde Les building	identification of Samples:	on ext. To be counted for ALPHA Background O: Code [X] BETA-GAMHA Background DS-2 Background C/m Geometry C/m Geometry

~ ~	! !	1	ļ .		<u> </u>				1				
Remarks:		S S S S S S S S S S S S S S S S S S S			63	62	61	60	5-9	58	57	Sample Number	Bidg. El Word Date Sounted by E Sounted by E Date counted Sero (0) i
					0	7	0	c	0	C	Q:#	Beta- Gamma	Bidg. El Veryle Room A Date Counted by Felicia Date counted April ** Zero (0) indicates
						and the state of the state of						Alpha	Bidg. El Veryle Room Areg (2) Date Counted by Felician D Date counted April 3,1998 ** Zero (0) indicates counts be
		 											Notify of resi
					7					National Programme States		Sample Number	O Notify of results.
												Beia− Gamma	report t
										St. He was Mind Colored Processes (1988)		Alpha	on ext Notified. to: Code
									Area C		Smears		on ext. Code Proportional Counter
								3	and Shops		El Verde Leb. Blogg	dentification of Samples:	To be counted for ALPHA Background Background 2 C
									ζ		e Lab t	of Samples:	13
								1 A -	11	9	3/ dans		c/m Geometry DS-2 c/m Geometry 27

bate Counted by Date Counted by	10	Room Area (27) 60 mez 60 mez April 3, 1976		Notify of results. Not Send copy of report to:	report t	on ext. Notified. rt to: Code	To be counted for Background c/m Geometry Background $30^{\pm ic}/m$ Geometry $2/m$
** Zero (0)	0) indicates	tes counts	į	bellow detection limits	limits of	the	Proportional Counter
Samp le Number	Beta- Gamma	Alpha		Sample Number	Beta- Gamma	Alpha	Identification of Samples:
64	0 *			78	0		El Verde Let Buill
65	0			79	0		
66	3			90	0		Avea Cant Shops
67	0			/3	0		
68	0		· · · · · · ·	82	0		
69	C			83	0		
70	0			84	0		
7/	0			85	0		
72	0			98	0		
73	0			87	0		
74	0			88	0		
75	0			89	0		
76	c			36	<u>ر</u>		
77	0			116	C		
Remarks:					2		
						-	

	105	104	103	102	101	100	99	98	97	96	7.6	46	93	92	Sample Number	hate counted ** Zero (0)	Counted by	Bldg. €	
Remarks:	c	0	0	0	0	0	0	0	O	0	0	0	0	0	e Beta-	** Zero (0) indicates	$ \mathcal{S} $	Bildg. Ellerale Room Area C.D.	
														**			24	oom Kire	
					C Warper output Print										A? pha	3,19/8 counts be	hez & Eelicians	(C)	
i		<u> </u>	ı		1		1									ellow d	Lang Sei	의 <u>중</u>	
					1/5	114	1/3	112	111	110	109	801	107	106	Sample Number	Bellow detection limits	Send copy of report	Notify of results.	
		•			0	0	0	0	0	0	0	0	0	0	Beta- Gamma	of	report to:		
									enance and the second of the second						Alpha	the Propo	Code	On ext	
												Avea C and Shops 3		El Verde Lab building	Identification of Samples:	Proportional Counter	30	To be counted for ALPHA Rackground c/m Geometry	

-nu		
₩.		
AG.		
•		
**	APPENDIX 2.	
		
 .		
. E.		

APPENDIX 2.

Soil Samples Analyzed in the Germanium Lithium Spectrometer *

VEGETATION

AREA	SAMPLE NO	CONTAMINATED	NOT CONTAMINATED
4	3	Cs-137	Joseph Golden, Million Co.
2	6		X
2	5		×
8	4	x	^
so	IL		
2	— 6 A & B		X
2	5 A & B		X
3	4 A & B		X
ц	Base of tree	Cs-137	
4	Resin of tree	Cs-137	
5	5 A & B		x
5	6 A & B		x
7	7 A & B		X
7	8 A & B		X
8	1 A & B		x
8	2 A & B		x
8	6 A & B		x
8	Control 1 A 8	В	X

^{*}Spectrometric analysis was made with the only purpose of detecting radioactive contaminants. No attempt was made to quantify any contaminant.

APPENDIX 3.

APPENDIX 3.

Soil Samples taken at the Experimental Station in order to establish background levels for comparison purposes.

Samples counted in the Gas Flow Proportional Counter

SAMPLE NO.	μ Ci/gm ± 2.3 X 10-5
1	2.70×10^{-5}
2	5.40×10^{-5}
3	4.05×10^{-5}
4	1.80×10^{-5}

APPENDIX 4.

	This Copy is For			LS LICENSE	
loge of leretof lource, leliver mport Atomic	ore made by the licensee, a lice and special nuclear material door transfer such material to pe such byproduct and source n	ense is hereby lesignated beloersons authori naterial. This ended, and is	issued author ow: to use suc zed to receive license shall b subject to all	35, 36, 40 and 70, and izing the licensee to recommend the purposit in accordance with the deemed to contain the applicable rules, regularized.	of 1974 (Public Law 93 438), and Title in reliance on statements and representatione, acquire, possess, and transfer byproduse(s) and at the place(s) designated below the regulations of the applicable Part(s); and the conditions specified in Section 183 of ations and orders of the Nuclear Regulations.
Cent Ro	Licensee versity of Puerto Ric ter for Energy and En	o vironment	al.	3. License number	52-19434-02
2. Caparra Heights Station San Juan, Puerto Rico 00935				Expiration date Docket or Reference No.	March 31, 1987
	oduct, source, and/or al nuclear material	7.	. Chemical and form	d/or physical	 Maximum amount that licen may possess at any one time under this license
A. B.	Hydrogen 3 Cesium 137	A. B.	Arry Any		A. 4 curies B. 1 millicurie
9. A. a	Authorized use and B. For use in fie	ld experi	ments.		
		(CONDITIONS		
10.	Licensed material sl Forest, El Verde Res	hall be us search Sta	sed only a ation, Pue	et Caribbean Nati	onal Forest, Luguillo
11.	The licensee shall of Federal Regulation Inspections" and Par	ons, Part	19. "Not i	ces. Instruction	e 10, Chapter 1, Code us and Reports to Workers; painst Radiation."
12.	Licensed material sh	nall be us	sed by, or	under the super	vision of, Jeffrey Carl Luva

	orın 374	A	U.S. NUCLEAR REGULATORY COMMISSIO	N DECEMBER OF THE PROPERTY OF	_	17		
(12-61)			j. ;	License number	of 3 f	PAGES		
			MATERIALS LICENSE	52-19434-02				
			SUPPLEMENTARY SHEET	Docket or Reference number				
			The second of th	L				
						SO THE PROPERTY OF THE PROPERT		
	_ = = :	29	000000000000000000000000000000000000000	1		1		
			CONDITIONS			1		
						10 10		
13.	Lil.Ce	enseci	material shall not be used in or on	human beings or in products	5			
	CLS	-r rout	ted to the public.			TOTAL STATE		
14.	Α.	Indi	ividuals involved in operations this					
****		thar	ividuals involved in operations which 100 millicuries of Hydrogen 3 in a	utilize, at any one time,	more	D		
		1 KE CC	ulic loll, shall have bloassays perf	Ormed within one wook follo		5		
		a si	ingle operation and at weekly interva	ls for continuing operation	wri <i>i</i> d	70.70		
					10 1	5		
	В.	(1)	The state of the s	manner as to cause any		aCa		
			individual to receive a radiation e	mosure such that uniname		197.7		
			excretion rates exceed 28 microcuriaveraged over a calendar quarter.	es of tritium per liter whe	n	TE CONTRACTOR		
						15		
		(2)	Urinalysis shall be performed at we	ekly intervals on all indi-	iduale	[5] E		
			who work in the restricted areas of	facilities in which triting	m is	le le		
			used. If the average concentration	Of tritium in uring for an		5		
			single individual during a calendar	quarter is less than 10 mi	oromrioe			
			per litter, unlimityers may be perform	med on that individual at m	onthly	12		
			intervals for the following calendar monthly intervals so long as the average calendar monthly intervals are long as the average calendar monthly intervals.	quarter and may continue	at	15		
			calendar quarter remains below 10 m	croquies per liter The				
			calendar quarter remains below 10 microcuries per liter. The urine specimen shall be collected on the same day of the week insofar as					
			possible.					
		(2)	*			B		
		(3)	A report of an average concentration in R(1) above for any individual above.	in excess of the limit sp	ecified	15		
			in b(1) above for any individual sha	all be filed, in writing w	ithin			
			thirty (30) days of the end of the confinement, U. S.	Muclear Pornistors Co.	rrice	5		
			washington, D. C. 20555, with a copy	to the Regional Office of				
			inspection and inforcement. The rem	ort shall contain the recui	1+c of			
			arr utilityses for the individual di	ring the calendar granter	43			
			cause of the excessive concentration	is, and the corrective stem	s taken			
			or planned to assure against a recur	rence.				
		(4)	Any single uninalysis which dissis-		W <u>4</u>	A TAN PROPERTY OF THE PROPERTY OF THE		
			Any single urinalysis which disclose 50 microcuries per liter shall be re	s a concentration of greate	er than			
			(1) days of the ficensee's receipt of	it the results to the Office	30 OF			
			mspection and enforcement. U. S. Ni	clear Regulatory Commission	•			
			masimiycoll, D. C. 20555, with a copy	to the U.S. Nuclear Recui	atom	77		
			will stoll, Region 11, Office of In	spection and Enforcement.	101			
			Marietta Street, Suite 3100, Atlanta	, Georgia 30303.				
						IQI		


CONDITIONS

- Licensed material shall not be used in or on human beings or in products distributed to the public.
- Individuals involved in operations which utilize, at any one time, more 14. A. than 100 millicuries of Hydrogen 3 in a non-contained form, other than netallic foil, shall have bioassays performed within one week following a single operation and at weekly intervals for continuing operations.
 - B. Tritium shall not be used in such a manner as to cause any individual to receive a radiation exposure such that urinary excretion rates exceed 28 microcuries of tritium per liter when averaged over a calendar quarter.

- Urinalysis shall be performed at weekly intervals on all individuals who work in the restricted areas of facilities in which tritium is used. If the average concentration of tritium in urine for any single individual during a calendar quarter is less than 10 microcuries per liter, urinalysis may be performed on that individual at monthly intervals for the following calendar quarter and may continue at monthly intervals so long as the average concentration in the calendar quarter remains below 10 microcuries per liter. The urine specimen shall be collected on the same day of the week insofar as possible.
- A report of an average concentration in excess of the limit specified in B(1) above for any individual shall be filed, in writing, within thirty (30) days of the end of the calendar quarter with the Office of Inspection and Enforcement, U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, with a copy to the Regional Office of Inspection and Enforcement. The report shall contain the results of all urinalyses for the individual during the calendar quarter, the cause of the excessive concentrations, and the corrective steps taken or planned to assure against a recurrence.
- (4) Any single urinalysis which discloses a concentration of greater than 50 microcuries per liter shall be reported, in writing, within seven (7) days of the licensee's receipt of the results, to the Office of Inspection and Enforcement, U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, with a copy to the U. S. Nuclear Regulatory Commission, Region II, Office of Inspection and Enforcement, Marietta Street, Suite 3100, Atlanta, Georgia

NRC For (12-81)	m 374A	U.S. NUCLEAR REGUL	LATOR COMMISSION	3		
	5			License number	<u>O</u> F <u>3</u>	PAGE
	MA	TERIALS LICENSE		52-19434-02		
į	SUF	PLEMENTARY SHEET		Docket or Reference monber		
, , ,						
I	12 an employation				7.1 10. 0 000	
						<u> </u>
		α	ONDITIONS			
15.	Description	171 99	2 2002			
10.	masses and	eclifically provided	otherwise by	this license, the lice	ensee shall	
	license in a	coordance with state	an described in	n Items 6, 7, and 8 of entations, and procedu	E th i s	
	COMMERCIAL TIES	Terrer dared Decemb	ber 20. 1921	The Mucleus Dunilet		80
	~ 0 - 12 (CLC)	STATE GOAGETY CHE LICE	CHISHH S STATAM	Conte in applications	y Commissio	n's
	unless the s	tatements are more r	restrictive tha	in the regulations	or retters,	
NRC For (12-81)						
				語		
			For the H.C.	National Position		
			/ Or the U.S.	Nuclear Regulatory Commission	1,	
	114m		//	Illan XI	4/1/	~ ~
Date	MAR 0 9 19	32	U	ullum of	Kling	7 ,
a.c	·- (<u>- </u>		By	terial Licensing Bran		
				Division of Fuel Cycle a	nd U	
				Material Safety		
				Washington, D.C. 2055	5	
OR TO PERSON	EVEL EOEOEOEO					
			ストンさん トンコンロ ごとく ロ 〇ロ	ZEVELLE GLACIETA ACOBO ECONO	ת את השתישת ישנים כישנים	5 22 72 72 72 72 72 72 72 72 72 72 72 72

4 .	U.S. NUCLEAR REGULAT FERIALS LICENSE PLEMENTARY SHEET	•	License num. Docket or Reference	52-19434-	
(d)					. No. 01
Conditions 10. and 1 10. Licensed mater Forest, El Vere	co 00935	ead: ly at Caribbe Puerto Rico. , or under the	en National	Forest, Lu	quillo
OCT 13 1982		Original Patrice Materia	Nuclear Regulational Signed icia C. Vaccal Licensing	a	I
<u>্রাক্রিক্র্রের্</u>	010-15-82		Division M	of Fuel Cycle a sterial Safety gion, D.C. 2055	






Fig. 1. Map of Puerto Rico Showing the Location of Luquillo Forest and El Verde Research Area.



A Meteorological tower


Cycling and Transport study sites


U. S. Forest Service long term growth plots

AEC Experimental sites (1964-1970)

Fig. 1-A. Approximate boundary of the 156 acres under DOE-Forest Service Agreement

Fig. 2. Schematic Map of El Verde Research Area Showing the Cs-137 Radiation Center and Approximate Location of the 80m and 160m radii.






F-3

Fig. 3. Laboratory Area, El Verde Research Station.

Fig. 4. Detail of Old Laboratory Building, Area A. Numbers Indicate
Survey Points. See Appendix 1a for Results.






Fig. 5. Detail of Old Laboratory Building, Area B. Numbers Indicate




Fig. 6. Detail of Old Laboratory Building, Area C and Shops. Numbers

Fig. 7. Approximate Location of the Six Areas where Radiotracers were Used.




Fig. 8. Radiation Levels, Expressed in $\mu R/hr$, in the Laboratory Area.




Fig. 9. Radiation Levels and Sampling Locations in Area 2. See Appendix 1 for Results of Samples Analyzed.

El Verde Rain Forest Tree#1 Council 1.5/18
Tree#5 " 15/18
Soil 1.5 MR C-2-8 C-2-9 C-2-7 C-2-5 C-2-45V CONT. 2-3V C-2-6 C-2-10 2-9-45 2.0 M.R 2.0 MR 2.0 MR 2.0 MR 2.0/4R 2.0/4R 2.0/4R 7.5/4R 0° 21-8-15 2 MR 4-2 Cont. 2-55 Area #2 ZMRY 2-1 Cont 2-4-15 6 2-5-SY or 2-245 cont. Back Ground or 1.0/1/R LR.OMR 2 2-3-SV Cont. 2-6 cont 021.51/R Area Diameter 2.0MR

Fig. 10. Radiation Levels and Sampling Locations in Area 3.

See Appendix 1 for Results of Samples Analyzed.





Fig. 11. Radiation Levels and Sampling Locations in Area. 4.

See Appendix 1 for Results of Samples Analyzed.



5-1-V 1.5MR 5-2 VS 2.0MR 5-3 VS 2.0MR 5-6 VS 1.5MR 5-6 VS 1.5MR 5-6 VS 1.5MR 5-1- 50 MR 5-1-45 30 MR 5-245 15 MR




Fig. 12. Radiation Levels and Sampling Locations in Area 4. See Appendix 1 for Results of Samples Analyzed.

St. Jagg Buy




Fig. 13. Radiation Levels and Sampling Locations in Area 7.

See Appendix 1 for Results of Samples Analyzed.

A. Tago Bry

-

· See

*

20

4. 125. En AREA #8 C-8-4 VS_ El Verde DEAD TARONUCO TREETRUNK (de capoticado) TABONUCO 17" Fig. 14. Radiation Levels and Sampling Locations in Area 8. See Appendix 1 for Results of Samples Analyzed. 2/2 8-151 2MR 748 51 H-8 NO MEGRA LORA TREE () 80MR-2 FILT SENSE 1248 Russ 114R 8-3-5 TABONUCO TRE 40MR-JMR--25/R/40 - Jur Jun -1.8-5-8.K LGround level IDAR at 1M-9AR TABBONUCU- Q3AR 8-1-8 140 Q JMR " YME 7MR " 7,4R = " Area Diameter ž) 8-1-SV 8 K 11 MR TAR --- CORTEX (3) All Area deage with young trees C-8-5 VS ~C-8-2 SV C-8-6-VS





Fig. 16. Radiation Levels, at the present time, in Area 4.



>0

-**48**(,

Ÿ